

## PERSISTENT PELVIC PAIN in WOMEN

Name: \_\_\_\_\_

Date: \_\_\_\_\_

Please describe your pain problems: (use a separate sheet if needed): \_\_\_\_\_

---

---

---

---

What do you think is causing your pain? \_\_\_\_\_

Is there an event that you associate with the onset of the pain?  Yes  No If so, what? \_\_\_\_\_

How long have you had pain? \_\_\_\_\_ years \_\_\_\_\_ months

**Demographic Information:** Please check all that apply:

Married     Widowed     Separated     Single     Remarried     Divorced

Committed Relationship    Who do you live with? \_\_\_\_\_

**Education:**

< 12 years     High school grad     University Degree     Postgraduate Degree

What type of work are you trained for? \_\_\_\_\_

What type of work are you doing? \_\_\_\_\_

**What physician's or health care providers have evaluated you for persistent pelvic pain?**

Physician/Provider	Specialty

**Please list pain medications you have taken for your pain condition in the past 6 months, and the providers who prescribed them:**

Medication/dose	Provider	Did it help?		
		Yes	No	Currently taking
		Yes	No	Currently taking
		Yes	No	Currently taking
		Yes	No	Currently taking
		Yes	No	Currently taking
		Yes	No	Currently taking
		Yes	No	Currently taking
		Yes	No	Currently taking

**Please list all other medications you are presently taking, the condition, and the provider who prescribed them:**

Medication/dose	Provider	Medical Conditions

**What types of treatment/providers have you tried in the past for your pain? Check all that apply**

- |   |  |   |
|---|--|---|
| <input type="checkbox"/> Acupuncture                                  | <input type="checkbox"/> Family Practitioner     | <input type="checkbox"/> Nutrition/diet           |
| <input type="checkbox"/> Anesthesiologist (Pain blocks)               | <input type="checkbox"/> Herbal medicine         | <input type="checkbox"/> Physiotherapy            |
| <input type="checkbox"/> Anti-seizure medication (Gabapentin, Lyrica) | <input type="checkbox"/> Homeopathic medicine    | <input type="checkbox"/> Psychotherapy            |
| <input type="checkbox"/> Antidepressants (Amitriptyline, Cymbalta)    | <input type="checkbox"/> Lidocaine/Xylocaine     | <input type="checkbox"/> Psychiatrist             |
| <input type="checkbox"/> Biofeedback                                  | <input type="checkbox"/> Massage                 | <input type="checkbox"/> Rheumatologist           |
| <input type="checkbox"/> Botox injection                              | <input type="checkbox"/> Meditation              | <input type="checkbox"/> Skin magnets             |
| <input type="checkbox"/> Chiropractor                                 | <input type="checkbox"/> Narcotics               | <input type="checkbox"/> Surgery                  |
| <input type="checkbox"/> Hormone medication                           | <input type="checkbox"/> Naturopathic medication | <input type="checkbox"/> TENS unit                |
| <input type="checkbox"/> Cognitive Behavioral Therapy                 | <input type="checkbox"/> Nerve blocks            | <input type="checkbox"/> Topical Diazepam         |
| <input type="checkbox"/> Gastroenterologist                           | <input type="checkbox"/> Neurosurgeon            | <input type="checkbox"/> Trigger point injections |
| <input type="checkbox"/> Colonoscopy                                  | <input type="checkbox"/> Cystoscopy              | <input type="checkbox"/> Urologist                |

**Has anyone in your family been diagnosed with:**

- Fibromyalgia       Chronic pelvic pain       Irritable Bowel syndrome       Depression  
 Interstitial Cystitis       Endometriosis       Other chronic condition       Cancer

**Hormonal Influence:**

For each symptom below, please circle your level of pain over the last month using a 10 point scale:

**0 = no pain and 10 = the worst pain imaginable**

Pain at ovulation (mid-cycle).....	0	1	2	3	4	5	6	7	8	9	10
Pain just before period.....	0	1	2	3	4	5	6	7	8	9	10
Cramps with period.....	0	1	2	3	4	5	6	7	8	9	10
Pain after period is over.....	0	1	2	3	4	5	6	7	8	9	10
Pain in groin when lifting.....	0	1	2	3	4	5	6	7	8	9	10
Pain with urination.....	0	1	2	3	4	5	6	7	8	9	10
Pain when bladder is full.....	0	1	2	3	4	5	6	7	8	9	10
Pelvic pain lasting hours or days after intercourse.....	0	1	2	3	4	5	6	7	8	9	10
Unable to tolerate vaginal penetration.....	0	1	2	3	4	5	6	7	8	9	10
Deep pain with intercourse.....	0	1	2	3	4	5	6	7	8	9	10
Burning vaginal pain after sex.....	0	1	2	3	4	5	6	7	8	9	10
Muscle/joint pain generally.....	0	1	2	3	4	5	6	7	8	9	10
Back pain.....	0	1	2	3	4	5	6	7	8	9	10
Migraine headache.....	0	1	2	3	4	5	6	7	8	9	10
Pain with sitting.....	0	1	2	3	4	5	6	7	8	9	10

How old were you when your menses started: \_\_\_\_\_

Are you still having menstrual periods?  Yes  No

If yes, are your periods:

- Light       Moderate       Heavy       Bleed through protection

How many days between periods: \_\_\_\_\_

How many days of menstrual flow: \_\_\_\_\_

Date of first day of last menstrual period: \_\_\_\_\_

**Gastro-Intestinal Function:**

- Do you have nausea?  No  With pain  With eating  Other
- Do you have vomiting?  No  With pain  With eating  Other
- Have you ever had an eating disorder such as anorexia/bulimia?  Yes  No
- Are you experiencing rectal bleeding or blood in your stool?  Yes  No
- Do you have increased pain with bowel movements?  Yes  No
- Do you have changes in the frequency of your bowel movements?  Yes  No
- Is there a change in the appearance of stool or bowel movements?  Yes  No
- Does your pain improve after completing a bowel movement?  Yes  No

**Lifestyle Questions:**

- How often do you exercise?  Rarely  1-2/week  3-5/week  Daily
- What is your caffeine intake (#cups/day)?  0  1-3  4-6  >6
- How many cigarettes do you smoke/day?  Yes  No \_\_\_ # packs/week
- Do you drink alcohol?  Yes  No \_\_\_ #/week
- Have you ever received treatment for Substance abuse?  Yes  No
- Have you used recreational drugs?  Never  In the past  Presently using  No answer
- Which drugs have you used?  Heroin  Amphetamines  Marijuana  Barbituates  
 Cocaine  Other
- How would you describe your diet?  Vegetarian  Well balanced  Fast food  Special diet
- How well do you sleep?  Well-rested  Difficulty falling Asleep  Wake up often  How many hours total

**Coping Mechanisms:**

**Who are the people you talk to concerning your pain, or during stressful times?**

- Spouse/partner  Relative  Support group  Clergy
- Doctor/Nurse  Friend  Mental Health Provider  I take care of myself

**How does your partner deal with your pain?**

- Doesn't notice       Takes care of me       Not applicable       Withdraws  
 Feels helpless       Distracts me with activity       Gets angry

**What helps your pain?**

- Meditation       Relaxation       Lying down       Music  
 Massage       Ice       Heating pad       Hot bath  
 Pain medication       Laxatives/enema       Injection       TENS unit  
 Bowel movements       Emptying bladder       Nothing       Other\_\_\_\_\_

**What makes your pain worse?**

- Intercourse       Orgasm       Stress       Full meal  
 Bowel movement       Full bladder       Urination       Standing  
 Walking       Exercise       Time of day       Sitting  
 Contact with clothing       Coughing/sneezing       Not related to anything       Weather  
 Other: \_\_\_\_\_

**Of all the problems or stressors in your life, how does your pain compare in importance?**

- The most important problem       Just one of many problems

**How you ever been the victim of emotional abuse? This can include being humiliated or insulted?**

- Yes       No       No Answer

**Pelvic Congestion:**

- Is your pelvic pain aggravated by prolonged physical activity?       Yes       No  
Does your pelvic pain improve when you lie down?       Yes       No  
Do you have pain that is deep in the vagina or pelvis during sex?       Yes       No  
Do you have pelvic throbbing or aching after sex?       Yes       No  
Do you have pelvic pain that moves from side to side?       Yes       No  
Do you have sudden episodes of severe pelvic pain that comes and go?       Yes       No

**Threat Assessment:**

These questions are private and personal; however, the pelvic floor muscles have been shown in studies to have a very protective function when we feel threatened. The answers to the following questions will help your therapist understand previous threats that may have caused your pelvic floor to tighten.

**Check an answer for both as a child and as an adult:**

	As a Child (<13)		As an adult (14+)	
Has anyone ever exposed the sex organs of their body to you when you did not want it?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> Yes	<input type="checkbox"/> No
Has anyone ever threatened to have sex with you when you did not want it?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> Yes	<input type="checkbox"/> No
Has anyone ever touched the sex organs of your body when you did not want this?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> Yes	<input type="checkbox"/> No
Has anyone ever made you touch the sex organs of their body when you did not want this?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> Yes	<input type="checkbox"/> No
Has anyone forced you to have sex when you did not want this?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> Yes	<input type="checkbox"/> No
Have you had any other unwanted sexual experiences not mentioned above?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> Yes	<input type="checkbox"/> No

**When you were a child (<13), did an older person do the following?**

Hit, kick or beat you?	<input type="checkbox"/> Never	<input type="checkbox"/> Seldom	<input type="checkbox"/> Occasionally	<input type="checkbox"/> Often
Seriously threaten your life?	<input type="checkbox"/> Never	<input type="checkbox"/> Seldom	<input type="checkbox"/> Occasionally	<input type="checkbox"/> Often

**Now that you are an adult (14+), has any other adult done the following?**

Hit, kick or beat you?	<input type="checkbox"/> Never	<input type="checkbox"/> Seldom	<input type="checkbox"/> Occasionally	<input type="checkbox"/> Often
Seriously threaten your life?	<input type="checkbox"/> Never	<input type="checkbox"/> Seldom	<input type="checkbox"/> Occasionally	<input type="checkbox"/> Often

## Tampa Questionnaire

(Reference: the original TSK9 is copied without restriction from the Work Cover Victoria website)

Please read each of the following statements and circle the number that best represents your feelings.

**1 = Strongly disagree    2 = Somewhat Disagree    3 = Somewhat Agree    4 = Strongly Agree**

I'm afraid I might injury myself if I exercise.....	1	2	3	4
If I were to try to overcome it, my pain would increase.....	1	2	3	4
My body is telling me that I have something dangerously wrong.....	1	2	3	4
My pain would probably be relieved if I were to exercise.....	1	2	3	4
People aren't taking my medical condition seriously enough.....	1	2	3	4
My accident has put my body at risk for the rest of my life.....	1	2	3	4
Pain always means that I have injured my body.....	1	2	3	4
Just because something aggravates my body does not mean it is dangerous.....	1	2	3	4
I am afraid that I might injure myself accidentally.....	1	2	3	4
Simply being careful that I do not make any unnecessary movements is the safest thing I can do to prevent my pain from worsening.....	1	2	3	4
I wouldn't have this much pain if there weren't something potentially dangerous going on in my body	1	2	3	4
Although my condition is painful, I would be better off if I were physically active.....	1	2	3	4
Pain lets me know when to stop exercising so that I don't injury myself.....	1	2	3	4
It's really not safe for a person with a condition like mine to be physically active.....	1	2	3	4
I can't do all the things normal people do because it's too easy for me to get injured.....	1	2	3	4
Even though something is causing me a lot of pain, I don't think it's actually dangerous.....	1	2	3	4
No one should have to exercise when he/she is in pain.....	1	2	3	4

**TOTALS:**

--	--	--	--

**For Office use only: Rvs 4, 8, 12, 16**  
**Score:** \_\_\_\_\_ /68 = \_\_\_\_\_

## PCS QUESTIONNAIRE

(Reference: on Quartana et al. Pain Catastrophizing: A Critical review. Expert Rev Neurother. 2009 May; 9(5):745-758)

Everyone experiences painful situations at some point in their lives. Such experiences may include headaches, tooth pain, joint or muscle pain. People are often exposed to situations that may cause pain such as illness, injury, dental procedures or surgery.

We are interested in the types of thoughts and feelings that you have when you are in pain. Listed below are 13 statements describing different thoughts and feelings that may be associated with pain. Using the following scale, please indicate the degree to which you have these thoughts and feelings when you experience pain.

**0 = not at all 1 = to a slight degree 2 = to a moderate degree 3 = to a great degree 4 = all the time**

When I'm in pain.....

- \_\_\_\_\_ I worry all the time about whether the pain will end.
- \_\_\_\_\_ I feel I can't go on
- \_\_\_\_\_ It's terrible and I think it's never going to get any better
- \_\_\_\_\_ It's awful and I feel that it overwhelms me
- \_\_\_\_\_ I feel I can't stand it anymore
- \_\_\_\_\_ I become afraid that the pain will get worse
- \_\_\_\_\_ I keep thinking of other painful events
- \_\_\_\_\_ I anxiously want the pain to go away
- \_\_\_\_\_ I can't seem to keep it out of my mind
- \_\_\_\_\_ I keep thinking about how much it hurts
- \_\_\_\_\_ I keep thinking about how badly I want the pain to stop
- \_\_\_\_\_ There's nothing I can do to reduce the intensity of my pain
- \_\_\_\_\_ I wonder whether something serious will happen

---

---

**TOTAL: \_\_\_\_/52 = \_\_\_\_%**



## PAIN DETECT

If 1 = no pain and 10 = the worst imaginable pain, please mark the following statements from 1-10

### Section 1:

How would you assess your pain now, right at this moment?

1      2      3      4      5      6      7      8      9      10

How strong was the strongest pain during the past 4 weeks?


1      2      3      4      5      6      7      8      9      10

How strong was the pain during the past 4 weeks on average?

1      2      3      4      5      6      7      8      9      10

### Section 2:

Mark the picture that best describes the course of your pain:





### Section 3: Please mark your main area of pain:

Does your pain radiate to other regions of the body?

Yes     No

If yes, please draw the direction in which the pain radiates



Please shade in the areas of your body that you are experiencing pain, numbness or tingling.

Please use: **N** for Numbness; **T** for Tingling; **P** for Pain;      **X** for Itching; **B** for Burning

#### Section 4:

Do you suffer from a burning sensation (e.g. stinging nettles) in the marked areas?

Never  Hardly noticed  Lightly  Moderately  Strongly  Very strongly

Do you have tingling or prickling sensation in the area of your pain (like crawling ants or electrical tingling)?

Never  Hardly noticed  Lightly  Moderately  Strongly  Very strongly

Is light touching (clothing, a blanket) in this area painful?

Never  Hardly noticed  Lightly  Moderately  Strongly  Very strongly

Do you have sudden pain attacks in the area of your pain like electric shocks?

Never  Hardly noticed  Lightly  Moderately  Strongly  Very strongly

Is cold or heat (bath water) in this area occasionally painful?

Never  Hardly noticed  Lightly  Moderately  Strongly  Very strongly

Do you suffer from a sensation of numbness in the areas that you marked?

Never  Hardly noticed  Lightly  Moderately  Strongly  Very strongly

Does slight pressure in this area, e.g. with a finger, trigger pain?

Never  Hardly noticed  Lightly  Moderately  Strongly  Very strongly